



MODERN DOMESTIC FLOOR DESIGN

Nanten Oy is a Finnish family company specializing in concrete floor coatings

- More than **5 million** coated square meters
- Experience of more than **200** (person) years
- Working for over **55** years
- Companies in **3** different countries
- Deliveries to **13** different countries



Why is Nanten a better choice for floor surface?

Nanten makes the floor stylish

Nanten floor coatings provide a uniform, seamless floor surface on which it is possible to design the desired color or pattern. Thanks to its easy care, it also stays tidy, and with maintenance treatment, the surface can be restored to the level of the new surface.

Nanten is safe, durable and comfortable to use

Nanten coatings comply with CE standards. They have achieved excellent test results in wear, heat and impact resistance, and good elastic properties increase step comfort. In our product range, you will find M1 indoor air-classified and Cleanroom Suitable Materials (CSM) standard compliant coating solutions.

Nanten saves time

Nanten floor coatings allow large surfaces to be laid quickly. The diversity of spaces is not an obstacle. Nanten floor coatings can also be used to coat concrete at an earlier stage (RH% 95) than carpet alternatives (RH 75%), improving indoor air problems.



The feedback from our customers is more and more often:
Why didn't I choose Nanten before – it's a separate class of flooring!



Nanten is an ecological alternative

We do not compromise on indoor air cleanliness: coated floors meet EU indoor air standards right down to the last drawing. The finished surface does not react with moisture and no compounds harmful to respiration evaporate from the surface. Nanten flooring does not provide a breeding ground for mold. Our production chain also does not burden the environment unnecessarily: emissions are under control, and a significant proportion of the raw materials we use are renewable bio-based raw materials.

Nanten saves euros – sustainable development & life cycle construction

Long life, minimal need for maintenance and ease of care of Nanten floor coatings keep the floor cost low during its life cycle. Nanten floor coatings are easy to repair if necessary and the entire floor does not need to be replaced. Nanten floors do not need to be removed, but a new coating can be installed on top of the old material. The coating is easy to renew and it adapts to different applications during its life cycle.

Nanten has been developed for the needs of Finnish construction

We have been focusing on the special features of Finnish construction and floor surfaces since the 1960s. Our experienced experts will help you choose the right solution and manage the risks associated with floor investment.




We help you find the right coating solution

We also find special solutions for spaces with high requirements for durability, step comfort or appearance. Let us know your wishes and we will find the right solution for you.

Nanten Decofloor methods:

Decofloor

Smooth epoxy-based method



Features:

- Glossy or matt
- Layer thickness 2 mm

Applications:


- Shops and commercial premises
- Public buildings
- Corridors

Steps:

1. Substrate preparation
2. Priming Nanten HM Bio
3. Main compound Nanten SL Bio
4. Varnishing Nanten EP W2 or PU W2

Decofloor Comfort

Smooth polyurethane-based method



Features:

- Matt surface
- Layer thickness 2-3 mm

Applications:


- Public buildings
- Shops and retail spaces
- Office spaces

Steps:

1. Substrate preparation
2. Priming Nanten HM Bio
3. Main compound Nanten PU Bio
4. Top coat with colored Nanten PU W2 paint or PU W2 lacquer

Decofloor Comfort Plus

Smooth and elastic polyurethane-based method



Features:

- Matte surface
- Comfortable under foot
- Elastic and flexible surface
- Sound insulating
- Layer thickness 2-3 mm

Applications:

- Schools and kindergartens
- Office spaces
- Public buildings
- Hospitals and health care facilities

Steps:

1. Substrate preparation
2. Priming Nanten HM Bio
3. Main compound Nanten PU Flex
4. Top coat with colored Nanten PU W2 paint or PU W2 lacquer

With Nanten Decofloor methods, you create beautiful and durable flooring solutions. The coatings are well suited for public spaces where floors are required to be both comfortable and durable. Available in several different colors and can be patterned or enlivened with colored flakes.

Contact us:

Nanten Oy
Teollisuustie 6
04300 Tuusula

Contact information can be found [here](#).

— Nanten